

# Praktika

New generation of mechanical beds



## Patient

- Modern design
- Unique system Ergoframe®



## Staff

- Safe continuous positioning
- Easy bed hygiene



## Management

- Lifetime durability
- Manufactured in Europe according to EN 60601-2-52



# Modern design and lifetime durability

Removable plastic bed ends with locks

1

Removable plastic mattress platform covers

4

Split plastic side rails with colour decor


2

Angle indicator of backrest position

5

Crank mechanism for bed positioning

3



The unique system Ergoframe®



The common mattress platform

## VARIABLE BED POSITIONING WITH ERGOFRAME®

Easy mechanical operation by crank mechanism allows adjustment of the backrest and thighrest. The calfrest can be adjusted to 5 positions by using the handle. Effective prevention of pressure ulcers is ensured by the unique system Ergoframe® which decreases the pressure in parts of the patient's body that are of high risk.

## PRAKTIKA BED IN TWO VERSIONS

New generation of Praktika beds includes Praktika 1 with fixed height of mattress platform. The next version Praktika 2 bed has adjustable height of mattress platform, optionally TR/ATR function and can be centrally braked.



## PRACTICAL DETAILS




Locking bed ends



Accessory rail



Protective corner bumpers and additional vertical bumpers



Accessory holder

## FOR PATIENT SAFETY

Complete solution of side rails offers individual settings and ensures maximum patient safety.



Protector for the foot part of bed can be used with single and also split side rails

A

Extender for single collapsible side rails to increase the possible max. height of the mattress

B

Single collapsible side rails

C

# Technical data

Basic specification	Praktika 1	Praktika 2
External dimensions	218 × 99.5 cm	218 × 99.5 cm
Mattress dimensions	200 × 90 cm	200 × 90 cm
Max. mattress height	16 cm / + 10 cm with the Extender	16 cm / + 10 cm
Mattress platform height	55 cm (fixed)	42–76 cm
Max. backrest angle	70°	70°
Max. thighrest angle	34°	34°
TR/ATR tilt	—	12° / 12°
Ergoframe® (backrest + thighrest)	10+6 cm	10+6 cm
Weight of bed	80 kg	120 kg
Safe working load (SWL)	200 kg	200 kg



---

## Members of LINET Group

### LINET spol. s r.o.

Želevčice 5 | 274 01 Slaný | Czech Republic  
tel.: +420 312 576 400 | fax: +420 312 522 668 | e-mail: [info@linet.com](mailto:info@linet.com) | [www.linet.com](http://www.linet.com)

